






APRIL 2015













APRIL 2015










APRIL 2015

BICYCLE STORAGE

CONSTRUCTION STAGING / PARKING



ASSUMPTIONS:

Kent/Des Moines SR 99 East Station	
Alternative(s):	SR 99; I-5
Boardings	3,000
Boardings (with 216th Station)	2,500
Boardings (interim terminus)	4,500
Station Configuration	
Terminus / In-Line	Interim Terminus
Station Type	Center Platform - Elevated
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Total Ancillary Spaces (SF)	2,000
, i , , ,	,
Vertical Circulation	
# of entrances	2
# of escalators	2
# of staircases (patron)	2
# of elevators	2
# of emergency stairs	2
Bus/ Paratransit Facilities	
Bus bays (KCM)	2 bays, one 60' coach each
Bus bays (ST)	1 bay, two 60' coaches
Rapid Ride	On-street at SR 99
Bus layover (KCM)	2 bays, two 60' coaches each
Bus layover (ST)	1 bay, two 60' coaches
Paratransit spaces	1 permanent, 1 interim
Communications Facility	Tier 2
Parking & Amenities	000 65
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	4 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Long-term patron parking	500 spaces (structure)
Temporary patron parking*	500 spaces (surface)
Total proposed patron parking*	1000 spaces

^{*}Only required for interim terminus condition



PLATFORM

TPSS

ANCILLARY SPACES


SIGNALIZED INTERSECTION (PROPOSED)

0 50' 100' 200' 400'

APRIL 2015

FWLE_S99_AP006

SOUNDTRANSIT




KENT/DES MOINES SR 99 EAST STATION OPTION SECTIONS

FWLE_S99_AX006 49




			SR99 SI	HEET LA	YOUT M	ATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	Х	х	х	х	х	Х	х	х	х	х	Х	Х	Х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	х	х	×													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	х	х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	X	X	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	Х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	х	х	Х	х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	Х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х







I - NOT USED
















DRAFT EIS - CONCEPTUAL DESIGN

APRIL 2015













DRAFT EIS - CONCEPTUAL DESIGN

APRIL 2015










APRIL 2015














APRIL 2015












APRIL 2015

PARATRANSIT

BICYCLE STORAGE

CONSTRUCTION STAGING / PARKING



ASSUMPTIONS:

Kent/Des Moines HC Campus Sta	
Alternative(s):	SR 99
Boardings	3,000
Boardings (with 216th Station)	2,500
Boardings (interim terminus)	4,500
Station Configuration	
Station Configuration Terminus / In-Line	Interim Terminus
Station Type	Center Platform - Trench
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
1733	Tes
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Total Ancillary Spaces (SF)	2,000
Vertical Circulation	
# of entrances	2
# of escalators	2
# of staircases (patron)	2
# of elevators	2
# of emergency stairs	2
Bus/ Paratransit Facilities	
•	2 have and CO! speech and
Bus bays (KCM)	2 bays, one 60' coach each
Bus bays (ST)	1 bay, two 60' coaches
Rapid Ride	On-street at SR 99
Bus layover (KCM)	2 bays, two 60' coaches each 1 bay, two 60' coaches
Bus layover (ST) Paratransit	1 permanent, 1 interim
Communications Facility	Tier 2
,	1.0. 0
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	4 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Long-term patron parking	500 spaces (structure)
Temporary patron parking*	500 spaces (surface)
Total proposed patron parking*	1000 spaces
HC Replacement Parking	520 spaces

^{*}Only required for interim terminus condition









TICKETING / ENTRY HALL

ANCILLARY SPACES

PLATFORM

TPSS

DRAFT EIS - CONCEPTUAL DESIGN


SIGNALIZED INTERSECTION (EXISTING)

SIGNALIZED INTERSECTION (PROPOSED)

KENT/DES MOINES HC CAMPUS STATION OPTION SITE PLAN

APRIL 2015

FWLE_S99_AP004




KENT/DES MOINES HC CAMPUS STATION OPTION SECTION

FWLE_S99_AX004





			SR99 SI	HEET LA	YOUT M	IATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				х	Х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	Х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	х	Х	Х	х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	X	X	X	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	Х	х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	Х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х

















APRIL 2015


















APRIL 2015












APRIL 2015












			SR99 SI	HEET LA	YOUT M	IATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	х	х	х	Х	х	х	х	х	х	х	х	х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				х	Х	х	х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						х	х	Х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	X	X	X	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							×	х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	х






I - NOT USED




































APRIL 2015













APRIL 2015











APRIL 2015



ASSUMPTIONS:

S 260th West Station Option	
Alternative(s)	SR 99; I-5 to SR 99
Boardings	1,000
-	
Station Configuration	
Terminus / In-Line	In-Line
Station Type	Side Platform - Elevated
Platform Width	14'
Tail track	N/A
Crossover	TBD
TPSS	No
Program	
KC Metro Ancillary Spaces (SF)	N/A
ST Ancillary Spaces (SF)	1,200
Total Ancillary Spaces (SF)	1,200
Vertical Circulation	
# of entrances	2
# of escalators	3
# of staircases (patron)	3
# of elevators	5
# of emergency stairs	4
Bus/ Paratransit Facilities	
Bus bays (KCM)	N/A
Bus bays (ST)	N/A
Rapid Ride	On-street at SR 99
Bus layover (KCM)	N/A
Bus layover (ST)	N/A
Paratransit	1 space
Communications Facility	Tier 1
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	2 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	N/A
Service/emer. vehicle park.	2 spaces, combined
Signal bungalow / TPSS park.	N/A
Patron parking	N/A









DRAFT EIS - CONCEPTUAL DESIGN
S 260TH WEST STATION OPTION
(POTENTIAL ADDITIONAL STATION)
SITE PLAN

APRIL 2015

FWLE_S99_AP013 70





			SR99 SI	HEET LA	YOUT M	IATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	Х	х	Х	Х	Х	Х	х	х	х	х	х	х	х	Х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	Х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	Х	х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					х	Х	х	х	х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	X	х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х







I - NOT USED























APRIL 2015











APRIL 2015










APRIL 2015



ASSUMPTIONS:

S 260th East Station Option	
Alternative(s)	SR 99; I-5 to SR 99
Boardings	1,000
Station Configuration	
Terminus / In-Line	In-Line
Station Type	Side Platform - Elevated
Platform Width	14'
Tail track	N/A
Crossover	TBD
TPSS	No
Program	
KC Metro Ancillary Spaces (SF)	N/A
ST Ancillary Spaces (SF)	1,200
Total Ancillary Spaces (SF)	1,200
Vertical Circulation	
# of entrances	2
# of escalators	6
# of staircases (patron)	6
# of elevators	6
# of emergency stairs	4
Bus/ Paratransit Facilities	
Bus bays (KCM)	N/A
Bus bays (ST)	N/A
Rapid Ride	On-street at SR 99
Bus layover (KCM)	N/A
Bus layover (ST)	N/A
Paratransit	1 space
Communications Facility	Tier 1
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	2 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	N/A
Service/emer. vehicle park.	2 spaces, combined
Signal bungalow / TPSS park.	N/A
Patron parking	N/A



TPSS

CONSTRUCTION STAGING

SIGNALIZED INTERSECTION (PROPOSED)

0 50' 100' 400'








DRAFT EIS - CONCEPTUAL DESIGN S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION) SITE PLAN


APRIL 2015

FWLE_S99_AP012



(POTENTIAL ADDITIONAL STATION) SECTIONS

FWLE_S99_AX012




			SR99 SI	HEET LA	YOUT M	ATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	Х	х	х	х	х	х	х	х	х	х	х	х	Х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	Х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	х	х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	Х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			х	Х	х	х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	Х	Х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	х	Х	х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	X	X	Х	X	Х		
K - FEDERAL WAY SR 99 STATION OPTION															х	Х






I - NOT USED













APRIL 2015











APRIL 2015











APRIL 2015













APRIL 2015











APRIL 2015












APRIL 2015











APRIL 2015



ASSUMPTIONS:

Alternative(s)	Option SR 99							
Boardings	1,500							
Boardings (interim terminus)	3,500							
boardings (interim terminus)	3,300							
Station Configuration								
Terminus / In-Line	Interim Terminus							
Station Type	Center Platform - Trench							
Platform Width	34'							
Tail track	900'							
Crossover	Yes							
TPSS	Yes							
Program								
KC Metro Ancillary Spaces (SF)	200							
ST Ancillary Spaces (SF)	1,800							
Total Ancillary Spaces (SF)	2,000							
Vertical Circulation								
# of entrances	2							
# of escalators	2							
# of staircases (patron)	2							
# of elevators	2							
# of emergency stairs	2							
- 1								
Bus/ Paratransit Facilities								
Bus bays (KCM)	2 bays, one 60' coach each							
Bus bays (ST)	N/A							
Rapid Ride	On-street at SR 99							
Bus layover (KCM)	2 bays, one 60' coach each							
Bus layover (ST)	N/A							
Paratransit Communication Facility	1 permanent, 1 interim							
Communications Facility	Tier 2							
Parking & Amenities								
Bike storage	900 SF							
Patron drop-off	6 spaces							
Short-term patron parking	7 to 10 spaces							
Staff parking	4 spaces							
Service/emer. vehicle park.	2 spaces, separate lot							
Signal bungalow / TPSS park.	2 spaces, dedicated							
Existing patron parking	700 spaces							
Additional patron parking	700 spaces							
Total proposed patron parking	1400 spaces (structure)							

STATION PLAZA
VERTICAL CIRCULATION
TICKETING / ENTRY HALL
PLATFORM
ANCILLARY SPACES
TPSS

BUS LAYOVER
BUS PICK-UP / DROP OFF
PARATRANSIT
BICYCLE STORAGE
CONSTRUCTION STAGING / PARKING

S

SIGNALIZED INTERSECTION (EXISTING)

S


SIGNALIZED INTERSECTION (PROPOSED)









SoundTransit






			SR99 SI	HEET LA	YOUT M	ATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	х	х	х	х	х	х	х	Х	х	х	Х	х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	х	Х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	Х	Х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Χ	Х





I - NOT USED








SOUNDTRANSIT FOR

DRAFT EIS - CONCEPTUAL DESIGN

APRIL 2015










DRAFT EIS - CONCEPTUAL DESIGN

APRIL 2015



ASSUMPTIONS:

Federal Way SR 99 Station Option	(
Alternative(s)	SR 99; I-5 to SR 99							
Boardings	8,500							
Station Configuration								
Terminus / In-Line	Terminus							
Station Type	Center Platform - Elevated							
Platform Width	34'							
Tail track	900'							
Crossover	Yes							
TPSS	Yes							
Program								
KC Metro Ancillary Spaces (SF)	200							
ST Ancillary Spaces (SF)	1,800							
Support Services (SF)	5,000							
Total Ancillary Spaces (SF)	7,000							
Vertical Circulation								
# of entrances	2							
# of escalators	4							
# of staircases (patron)	4							
# of elevators	2							
# of emergency stairs	2							
Bus/ Paratransit Facilities								
Bus bays (KCM)	2 bays, one 60' coach each							
Bus bays (ST)	1 bay, two 60' coaches							
Rapid Ride								
Bus layover (KCM)	3 bays, one 40' coach each							
Bus layover (ST)	1 bay, two 60' coaches							
Paratransit spaces	3 spaces							
Communications Facility	Tier 3							
Parking & Amenities	900 SF							
Bike storage Patron drop-off								
<u>'</u>	6 spaces							
Short-term patron parking	7 to 10 spaces							
Staff parking	4 spaces							
Support Services parking	15 spaces							
Service/emer. vehicle park.	2 spaces, separate lot							
Signal bungalow / TPSS park.	2 spaces, dedicated							
Existing patron parking	1,190 spaces							
Additional patron parking	400 spaces							
Total proposed patron parking	1590 spaces (structure)							








DRAFT EIS - CONCEPTUAL DESIGN

FEDERAL WAY SR 99 STATION OPTION SITE PLAN

APRIL 2015

FWLE_S99_AP008



SQUNDTRANSIT

FEDERAL WAY SR 99 STATION OPTION SECTIONS

FWLE_S99_AX008

